




Product Family  
Miller Rope Grabs and Vertical Lifelines

Rope Grabs move easily up and down vertical lifelines providing continuous fall protection. Trailing models offer complete hands-free operation. In the event of a fall, Miller rope grabs lock quickly.

Visit [MillerFallProtection.com](https://www.millerfallprotection.com) > Miller Logo

Product Numbers & Ordering Information

| Product Numbers                                                                                    | Details                                                                          |
|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
|  194R-2/100FTWH | <b>Rope Lifeline</b><br>100-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon |
|  194R-2/150FTWH | <b>Rope Lifeline</b><br>150-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon |
|  194R-2/25FTWH  | <b>Rope Lifeline</b><br>25-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon  |
|  194R-2/300FTWH | <b>Rope Lifeline</b><br>300-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon |
|  194R-2/30FTWH  | <b>Rope Lifeline</b><br>30-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon  |
|  194R-2/35FTWH  | <b>Rope Lifeline</b><br>35-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon  |
|  194R-2/50FTWH  | <b>Rope Lifeline</b><br>50-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon  |

## Miller Rope Grabs and Vertical Lifelines



194R-2/75FTWH

### Rope Lifeline

75-ft. length, 1 thimble and 1 carabiner, 5/8-in. nylon



194R-5/100FTWH

### Rope Lifeline

100-ft. length, 1 thimble and 1 carabiner, 5/8-in. polyester



194R-5/150FTWH

### Rope Lifeline

150-ft. length, 1 thimble and 1 carabiner, 5/8-in. polyester



194R-5/200FTWH

### Rope Lifeline

200-ft. length, 1 thimble and 1 carabiner, 5/8-in. polyester



194R-5/25FTWH

### Rope Lifeline

25-ft. length, 1 thimble and 1 carabiner, 5/8-in. polyester



194R-5/50FTWH

### Rope Lifeline

50-ft. length, 1 thimble and 1 carabiner, 5/8-in. polyester



194R-5/75FTWH

### Rope Lifeline

75-ft. length, 1 thimble and 1 carabiner, 5/8-in. polyester



195R-2/100FTWH

### Rope Lifeline

100-ft. length, 2 thimbles, 5/8-in. nylon



195R-2/150FTWH

### Rope Lifeline

150-ft. length, 2 thimbles, 5/8-in. nylon



195R-2/25FTWH

### Rope Lifeline

25-ft. length, 2 thimbles, 5/8-in. nylon



195R-2/30FTWH

### Rope Lifeline

30-ft. length, 2 thimbles, 5/8-in. nylon



195R-2/50FTWH

### Rope Lifeline

50-ft. length, 2 thimbles, 5/8-in. nylon



195R-2/75FTWH

### Rope Lifeline

75-ft. length, 2 thimbles, 5/8-in. nylon

## Miller Rope Grabs and Vertical Lifelines



195R-5/100FTWH

### Rope Lifeline

100-ft. length, 2 thimbles, 5/8-in. polyester



195R-5/200FTWH

### Rope Lifeline

200-ft. length, 2 thimbles, 5/8-in. polyester



195R-5/25FTWH

### Rope Lifeline

25-ft. length, 2 thimbles, 5/8-in. polyester



195R-5/300FTWH

### Rope Lifeline

300-ft. length, 2 thimbles, 5/8-in. polyester



195R-5/50FTWH

### Rope Lifeline

50-ft. length, 2 thimbles, 5/8-in. polyester



195R-5/75FTWH

### Rope Lifeline

75-ft. length, 2 thimbles, 5/8-in. polyester



198RLS-  
2/100FTWH

### Rope Lifeline

100-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon



198RLS-  
2/150FTWH

### Rope Lifeline

150-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon



198RLS-2/15FTWH

### Rope Lifeline

15-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon



198RLS-2/19FTWH

### Rope Lifeline

19-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon



198RLS-  
2/200FTWH

### Rope Lifeline

200-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon



198RLS-2/20FTWH

### Rope Lifeline

20-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon



198RLS-  
2/250FTWH

### Rope Lifeline

250-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon

## Miller Rope Grabs and Vertical Lifelines



198RLS-2/25FTWH

### **Rope Lifeline**

25-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon



198RLS-  
2/300FTWH

### **Rope Lifeline**

300-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon



198RLS-2/30FTWH

### **Rope Lifeline**

30-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon



198RLS-2/50FTWH

### **Rope Lifeline**

50-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon



198RLS-2/75FTWH

### **Rope Lifeline**

75-ft. length, 1 locking snap hook and 1 loop, 5/8-in. nylon



198RLS-  
3/100FTWH

### **Rope Lifeline**

100-ft. length, 1 locking snap hook and 1 loop, 3/4-in. nylon



198RLS-  
3/500FTWH

### **Rope Lifeline**

500-ft. length, 1 locking snap hook and 1 loop, 3/4-in. nylon



198RLS-  
4/100FTWH

### **Rope Lifeline**

100-ft. length, 1 locking snap hook and 1 loop, 1/2-in. polyester



198RLS-4/25FTWH

### **Rope Lifeline**

25-ft. length, 1 locking snap hook and 1 loop, 1/2-in. polyester



198RLS-4/50FTWH

### **Rope Lifeline**

50-ft. length, 1 locking snap hook and 1 loop, 1/2-in. polyester



198RLS-  
5/100FTWH

### **Rope Lifeline**

100-ft. length, 1 locking snap hook and 1 loop, 5/8-in. polyester



198RLS-5/25FTWH

### **Rope Lifeline**

25-ft. length, 1 locking snap hook and 1 loop, 5/8-in. polyester



198RLS-5/30FTWH

### **Rope Lifeline**

30-ft. length, 1 locking snap hook and 1 loop, 5/8-in. polyester

## Miller Rope Grabs and Vertical Lifelines



198RLS-5/50FTWH

### Rope Lifeline

50-ft. length, 1 locking snap hook and 1 loop, 5/8-in. polyester



198RLS-5/75FTWH

### Rope Lifeline

75-ft. length, 1 locking snap hook and 1 loop, 5/8-in. polyester



198RLS-8/25FTWH

### Rope Lifeline

25-ft. length, 1 locking snap hook and 1 loop, 1/2-in. nylon



198RLS-8/50FTWH

### Rope Lifeline

50-ft. length, 1 locking snap hook and 1 loop, 1/2-in. nylon



201RLS-  
2/100FTWH

### Rope Lifeline

100-ft. length, 2 locking snap hooks, 5/8-in. nylon



201RLS-  
2/150FTWH

### Rope Lifeline

150-ft. length, 2 locking snap hooks, 5/8-in. nylon



201RLS-2/15FTWH

### Rope Lifeline

15-ft. length, 2 locking snap hooks, 5/8-in. nylon



201RLS-2/20FTWH

### Rope Lifeline

20-ft. length, 2 locking snap hooks, 5/8-in. nylon



201RLS-2/25FTWH

### Rope Lifeline

25-ft. length, 2 locking snap hooks, 5/8-in. nylon



201RLS-2/30FTWH

### Rope Lifeline

30-ft. length, 2 locking snap hooks, 5/8-in. nylon



201RLS-2/40FTWH

### Rope Lifeline

40-ft. length, 2 locking snap hooks, 5/8-in. nylon



201RLS-2/50FTWH

### Rope Lifeline

50-ft. length, 2 locking snap hooks, 5/8-in. nylon



201RLS-2/75FTWH

### Rope Lifeline

75-ft. length, 2 locking snap hooks, 5/8-in. nylon

## Miller Rope Grabs and Vertical Lifelines



201RLS-  
3/150FTWH

**Rope Lifeline**  
150-ft. length, 2 locking snap hooks, 3/4-in. nylon



201RLS-3/25FTWH

**Rope Lifeline**  
25-ft. length, 2 locking snap hooks, 3/4-in. nylon



201RLS-3/50FTWH

**Rope Lifeline**  
50-ft. length, 2 locking snap hooks, 3/4-in. nylon



201RLS-  
4/100FTWH

**Rope Lifeline**  
100-ft. length, 2 locking snap hooks, 1/2-in. polyester



201RLS-4/50FTWH

**Rope Lifeline**  
50-ft. length, 2 locking snap hooks, 1/2-in. polyester



201RLS-  
5/100FTWH

**Rope Lifeline**  
100-ft. length, 2 locking snap hooks, 5/8-in. polyester



201RLS-5/25FTWH

**Rope Lifeline**  
25-ft. length, 2 locking snap hooks, 5/8-in. polyester



201RLS-  
5/300FTWH

**Rope Lifeline**  
300-ft. length, 2 locking snap hooks, 5/8-in. polyester



201RLS-5/50FTWH

**Rope Lifeline**  
50-ft. length, 2 locking snap hooks, 5/8-in. polyester



201RLS-  
8/100FTWH

**Rope Lifeline**  
100-ft. length, 2 locking snap hooks, 1/2-in. nylon



201RLS-8/16FTWH

**Rope Lifeline**  
16-ft. length, 2 locking snap hooks, 1/2-in. nylon



201RLS-8/20FTWH

**Rope Lifeline**  
20-ft. length, 2 locking snap hooks, 1/2-in. nylon



201RLS-8/25FTWH

**Rope Lifeline**  
25-ft. length, 2 locking snap hooks, 1/2-in. nylon

## Miller Rope Grabs and Vertical Lifelines



201RLS-8/30FTWH

### Rope Lifeline

30-ft. length, 2 locking snap hooks, 1/2-in. nylon



201RLS-8/50FTWH

### Rope Lifeline

50-ft. length, 2 locking snap hooks, 1/2-in. nylon



202RRS-  
2/125FTWH

### Rope Lifeline

125-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon



202RRS-  
2/130FTWH

### Rope Lifeline

130-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon



202RRS-2/15FTWH

### Rope Lifeline

15-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon



202RRS-  
2/165FTWH

### Rope Lifeline

165-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon



202RRS-2/25FTWH

### Rope Lifeline

25-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon



202RRS-2/30FTWH

### Rope Lifeline

30-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon



202RRS-2/50FTWH

### Rope Lifeline

50-ft. length, 1 locking snap hook and 1 locking rebar hook (2-1/2 in.), 5/8-in. nylon



203RLS-2/30FTWH

### Rope Lifeline

30-ft. length, 1 locking snap hook and 1 locking rebar hook (1-3/4 in.), 5/8-in. nylon



203RLS-2/50FTWH

### Rope Lifeline

50-ft. length, 1 locking snap hook and 1 locking rebar hook (1-3/4 in.), 5/8-in. nylon



203RLS-2/75FTWH

### Rope Lifeline

75-ft. length, 1 locking snap hook and 1 locking rebar hook (1-3/4 in.), 5/8-in. nylon



204RLS-  
2/100FTWH

### Rope Lifeline

100-ft. length, 1 locking snap hook and 1 thimble, 5/8-in. nylon

## Miller Rope Grabs and Vertical Lifelines



204RLS-  
2/150FTWH

### Rope Lifeline

150-ft. length, 1 locking snap hook and 1 thimble, 5/8-in. nylon



204RLS-  
2/200FTWH

### Rope Lifeline

200-ft. length, 1 locking snap hook and 1 thimble, 5/8-in. nylon



204RLS-5/50FTWH

### Rope Lifeline

50-ft. length, 1 locking snap hook and 1 thimble, 5/8-in. polyester



205RLS-2/20FTWH

### Rope Lifeline

20-ft. length, 1 locking snap hook at each end and a thimble in the center, 5/8-in. nylon



209RRS-  
2/100FTWH

### Rope Lifeline

100-ft. length, 1 rebar hook and 1 thimble, 5/8-in. nylon



300C/100FTBL

### Rope Lifeline

100-ft. length, 5/8-in. dia. polypropylene blend, 1 carabiner and 1 loop



300C/25FTBL

### Rope Lifeline

25-ft. length, 5/8-in. dia. polypropylene blend, 1 carabiner and 1 loop



300C/300FTBL

### Rope Lifeline

300-ft. length, 5/8-in. dia. polypropylene blend, 1 carabiner and 1 loop



300C/50FTBL

### Rope Lifeline

50-ft. length, 5/8-in. dia. polypropylene blend, 1 carabiner and 1 loop



300C/75FTBL

### Rope Lifeline

75-ft. length, 5/8-in. dia. polypropylene blend, 1 carabiner and 1 loop



300L/100FTBL

### Rope Lifeline

100-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop



300L/10FTBL

### Rope Lifeline

10-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop



300L/125FTBL

### Rope Lifeline

1250-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop



## Miller Rope Grabs and Vertical Lifelines

|                                                                                     |                 |                                                                                                                           |
|-------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------|
|    | 300L/150FTBL    | <b>Rope Lifeline</b><br>150-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop                          |
|    | 300L/200FTBL    | <b>Rope Lifeline</b><br>200-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop                          |
|    | 300L/250FTBL    | <b>Rope Lifeline</b><br>250-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop                          |
|    | 300L/25FTBL     | <b>Rope Lifeline</b><br>25-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop                           |
|    | 300L/300FTBL    | <b>Rope Lifeline</b><br>300-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop                          |
|    | 300L/30FTBL     | <b>Rope Lifeline</b><br>30-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop                           |
|   | 300L/35FTBL     | <b>Rope Lifeline</b><br>35-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop                           |
|  | 300L/50FTBL     | <b>Rope Lifeline</b><br>50-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop                           |
|  | 300L/600FTBL    | <b>Rope Lifeline</b><br>600-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop                          |
|  | 300L/75FTBL     | <b>Rope Lifeline</b><br>75-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop                           |
|  | 300L-Z7/100FTBL | <b>ANSI Z359-2007 Compliant Rope Lifeline</b><br>100-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop |
|  | 300L-Z7/125FTBL | <b>ANSI Z359-2007 Compliant Rope Lifeline</b><br>125-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop |
|  | 300L-Z7/150FTBL | <b>ANSI Z359-2007 Compliant Rope Lifeline</b><br>150-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop |

## Miller Rope Grabs and Vertical Lifelines



300L-Z7/25FTBL

### **ANSI Z359-2007 Compliant Rope Lifeline**

25-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop



300L-Z7/50FTBL

### **ANSI Z359-2007 Compliant Rope Lifeline**

50-ft. length, 5/8-in. dia. polypropylene blend, 1 snap hook and 1 loop



8172/U

### **MicroLoc Trailing Wire Rope Grab**

Stainless steel; for use with 5/16-in. wire rope



8172C/

### **MicroLoc Trailing Wire Rope Grab**

Stainless steel; w/carabiner; for use with 5/16-in. wire rope



8173/U

### **MicroLoc Trailing Rope Grab**

Stainless steel; for use with 5/8-in. synthetic rope



8174/C

### **Manual Rope Grab**

Stainless steel; w/O-ring; for use with 5/8-in. or 3/4-in. synthetic rope; anti-panic feature; Canada



8174/U

### **Manual Rope Grab**

Stainless steel; w/O-ring



8174MLS/4FTYLC

### **Manual Rope Grab**

Stainless steel; attached 4-ft. Manyard lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope; anti-panic feature; Canada



8174MLS4/4FTYL

### **Manual Rope Grab**

Stainless steel; attached 4-ft. Manyard lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope



8174MLS6/6FT

### **Manual Rope Grab**

Stainless steel; attached 6-ft. Manyard lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope



8174NYS/-NYS

### **Manual Rope Grab**

Stainless steel; w/O-ring stamped with New York State (NYS); for use with 5/8-in. or 3/4-in. synthetic rope



8174RLS/2FTWH

### **Manual Rope Grab**

Stainless steel; attached 2-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope



8174RLS/2FTWHC

### **Manual Rope Grab**

Stainless steel; attached 2-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope; anti-panic feature; Canada

## Miller Rope Grabs and Vertical Lifelines



8174RLS/3FTWH

### Manual Rope Grab

Stainless steel; attached 3-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope



8174RLS/3FTWHC

### Manual Rope Grab

Stainless steel; attached 3-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope; ; anti-panic feature; Canada



8174WLS/2FTYL

### Manual Rope Grab

Stainless steel; attached 2-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope



8174WLS/2FTYLC

### Manual Rope Grab

Stainless steel; attached 2-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope; anti-panic feature; Canada



8174WLS/3FTYL

### Manual Rope Grab

Stainless steel; attached 3-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. or 3/4-in. synthetic rope



8175/C

### ANSI Z359-2007 Compliant Trailing Rope Grab

Stainless steel; w/O-ring; for use with 5/8-in. synthetic rope; anti-panic feature; Canada



8175/U

### Trailing Rope Grab

Stainless steel; w/O-ring; for use with 5/8-in. synthetic rope



8175RLS/2FTWH

### Trailing Rope Grab

Stainless steel; attached 2-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope



8175RLS/2FTWHC

### Trailing Rope Grab

Stainless steel; attached 2-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope; anti-panic feature; Canada



8175RLS/3FTWH

### Trailing Rope Grab

Stainless steel; attached 3-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope



8175RLS/3FTWHC

### Trailing Rope Grab

Stainless steel; attached 3-ft. rope lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope; anti-panic feature; Canada



8175SLS/18INYL

### Trailing Rope Grab

Stainless steel; attached 18-in. SofStop shock absorber w/1 locking snap hook; for use with 5/8-in. synthetic rope



8175SLS/2FTYL

### Trailing Rope Grab

Stainless steel; attached 2-ft. SofStop lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope

## Miller Rope Grabs and Vertical Lifelines

|                                                                                     |                  |                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | 8175SLS/2FTYLC   | <b>Trailing Rope Grab</b><br>Stainless steel; attached 2-ft. SofStop lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope; anti-panic feature; Canada                  |
|    | 8175SLS/3FTYL    | <b>Trailing Rope Grab</b><br>Stainless steel; attached 3-ft. SofStop lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope                                              |
|    | 8175SLS/3FTYLC   | <b>Trailing Rope Grab</b><br>Stainless steel; attached 3-ft. SofStop lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope; anti-panic feature; Canada                  |
|    | 8175SLS-Z7/3FTYL | <b>ANSI Z359-2007 Compliant Trailing Rope Grab</b><br>Stainless steel; anti-panic feature; attached 3-ft. SofStop lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope |
|    | 8175WLS/2FTYL    | <b>Trailing Rope Grab</b><br>Stainless steel; attached 2-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope                                                  |
|    | 8175WLS/2FTYLC   | <b>Trailing Rope Grab</b><br>Stainless steel; attached 2-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope; anti-panic feature; Canada                      |
|   | 8175WLS/3FTYL    | <b>Trailing Rope Grab</b><br>Stainless steel; attached 3-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope                                                  |
|  | 8175WLS/3FTYLC   | <b>Trailing Rope Grab</b><br>Stainless steel; attached 3-ft. web lanyard w/1 locking snap hook; for use with 5/8-in. synthetic rope; anti-panic feature; Canada                      |
|  | 8175-Z7/         | <b>ANSI Z359-2007 Compliant Trailing Rope Grab</b><br>Stainless steel; w/O-ring; anti-panic feature; for use with 5/8-in. synthetic rope                                             |
|  | 8757LS/24INYLC   | <b>Manual Rope Grab</b><br>Stainless steel; w/O-ring; for use with 5/8-in. synthetic rope; attached 24-inch SofStop; Anti-panic feature; Canada                                      |
|  | 8757LS/YL        | <b>Manual Rope Grab</b><br>Stainless steel; w/O-ring; for use with 5/8-in. synthetic rope; attached 24-inch SofStop                                                                  |
|  | 9020/YL          | <b>Rope Lifeline Accessory</b><br>Vertical lifeline tensioning bag                                                                                                                   |
|  | 98174LS/16INYLU  | <b>Manual Rope Grab</b><br>Stainless steel; w/O-ring; for use with 5/8-inch or 3/4-inch synthetic rope; attached 16-inch SofStop with locking snap hook                              |



98174LS/3FTYLU

#### Manual Rope Grab

Stainless steel; w/O-ring; for use with 5/8-inch or 3/4-inch synthetic rope; attached 3-foot SofStop with locking snap hook

## Overview

### Key Features

- Compact design; corrosion-resistant stainless steel construction.
- Lightweight and easy to use.
- Miller rope grabs are designed for use with 5/8-inch (16mm) synthetic rope lifeline with a minimum tensile strength of 5,000 lbs. (22kN), secured to an anchorage independent of the worker's platform.
- Standard lifeline lengths are 25 feet (7.6m), 50 feet (15m), 75 feet (23m), and 100 feet (30m); additional lengths are available.
- Wire rope grabs are designed for use with 5/16-inch (8mm) galvanized or stainless steel wire rope lifelines.

### Recommended Industries/Use

- Agriculture
- Construction
- Government
- Manufacturing
- Municipal Services
- Oil and Gas
- Utilities

### Hazards

- Confined Space
- Fall from height

### Regulations

- Meets all applicable OSHA, ANSI and CSA standards

### Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

## Literature & Documents

### Miller Rope Grabs & Vertical Lifelines Manual - US

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Rope\\_Grabs\\_Vertical\\_Lifelines/16592/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Rope_Grabs_Vertical_Lifelines/16592/1033.aspx)

Miller Rope Grabs and Vertical Lifelines Product Instruction Manual

### SP 396 300L Rope Lifeline Spec Sheet - US

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Rope\\_Grabs\\_Vertical\\_Lifelines/16593/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Rope_Grabs_Vertical_Lifelines/16593/1033.aspx)

SP396 300L Rope Lifeline Product Specification Sheet

### SP387 8174 Rope Grab - US

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Rope\\_Grabs\\_Vertical\\_Lifelines/42962/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Rope_Grabs_Vertical_Lifelines/42962/1033.aspx)

SP387 8174 Rope Grab Product Specification Sheet

### SP388 MicroLoc Rope Grabs - US

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Rope\\_Grabs\\_Vertical\\_Lifelines/42963/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Rope_Grabs_Vertical_Lifelines/42963/1033.aspx)

SP388 MicroLoc Rope Grabs Product Specification Sheet

### SP389 8175 Rope Grab USA - US

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Rope\\_Grabs\\_\\_\\_Vertical\\_Lifelines/42964/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Rope_Grabs___Vertical_Lifelines/42964/1033.aspx)

SP389 8175 US Rope Grab Product Specification Sheet

**SP390 Rope Grab CANADA - US**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Rope\\_Grabs\\_\\_\\_Vertical\\_Lifelines/42965/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Rope_Grabs___Vertical_Lifelines/42965/1033.aspx)

SP390 Canadian Rope Grab Product Specification Sheet

**SP391 Rop Grab CANADA - US**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Rope\\_Grabs\\_\\_\\_Vertical\\_Lifelines/42966/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Rope_Grabs___Vertical_Lifelines/42966/1033.aspx)

SP391 Canadian Rope Grab Product Specification Sheet

**SP417 195R Series - US**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Rope\\_Grabs\\_\\_\\_Vertical\\_Lifelines/42967/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Rope_Grabs___Vertical_Lifelines/42967/1033.aspx)

SP417 195 Series Product Specification Sheet

## Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

## Additional Information

800/873-5242 or 814/423-2118 email: [millertechexpert@sperian.com](mailto:millertechexpert@sperian.com)

## Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: [millertechexpert@sperian.com](mailto:millertechexpert@sperian.com)